Influenza And Pneumonia Deaths

Influenza And Pneumonia Deaths

- •Most recent data (2012): 8.7 deaths per 100,000, including 173 deaths. •Trend over time: 2000-12: falling

Influenza and pneumonia deaths, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	9.1	8.5	9.7	174
AGE				
<18	0.3 §	0.1 §	0.6 §	1
18-24	*	*	*	*
25-44	0.8	0.5	1.2	5
5-64	3.9	3.2	4.8	20
5+	69.7	64.8	74.9	147
GENDER				
<i>M</i> ale	11.3	10.2	12.4	83
emale	7.7	7.0	8.5	91
RACE/ETHNICITY		•		
IAN	13.7 §	5.4 §	30.8 §	2
sian	8.3	6.6	10.4	16
Black	9.9	6.9	13.9	8
lispanic	7.6	4.2	13.0	4
fultiple	7.7 §	3.1 §	16.7 §	2
HPI	22.6 §	6.5 §	64.0 §	1
Vhite	8.9	8.3	9.6	145
NEIGHBORHOOD POVERTY				
ligh	13.0	11.0	15.3	30
Medium	9.1	8.4	9.9	116
ow	6.8	5.7	8.1	28
REGION				
East	6.1	5.1	7.2	29
North	10.1	8.0	12.8	16
Seattle	9.1	8.1	10.3	61
South	11.1	9.9	12.3	68

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Influenza and pneumonia deaths King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories. Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Influenza and pneumonia deaths by comparison areas

There is no Healthy People 2020 Objective for influenza and pneumonia deaths.


	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	15.1	N/A	N/A
WA State	2012	10.2	9.4	11.0
King County	2012	8.7	7.4	10.1

Source: WAState DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015. 'ARate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

Influenza and pneumonia deaths by comparison areas



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|-----| Confidence interval shows range that includes true value 95% of the time.

Influenza and pneumonia deaths by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	9.1	8.5	9.7	174
Auburn	11.8	8.0	16.7	6
Auburn-North	11.6	7.1	17.9	4
Auburn-South	12.0 §	5.9 §	21.7 §	2
Bear Creek/Carnation/Duvall	5.6 §	2.5 §	10.9 §	2
Bellevue	5.5	4.0	7.5	9
Bellevue-Central	5.2 §	2.5 §	10 §	2
Bellewe-NE	8.0	4.5	13.5	3
Bellewe-South	7.0 §	3.2 §	14.0 §	2
Bellewe-West	3.3 §	1.4 §	8.1 §	2
Black Diamond/Enumclaw/SE County	7.7	4.4	12.6	3
Bothell/Woodinville	6.4	3.3	11.7	3
Burien	14.4	10.1	20.1	7
Covington/Maple Valley	11.2	6.4	18.2	3
Des Moines/Normandy Park	11.9	8.3	17.0	8
East Federal Way	4.8 §	1.7 §	11.0 §	1
Fairwood		1.6 §		1
Federal Way	5.8 §		15.3 §	8
Fed Way-Central/Military Rd	10.3	7.3 7.0	14.3 16.1	5
Fed Way-Dash Point/Woodmont	10.6	5.4	18.8	2
	9.9	5.7	16.7	4
Issaquah Kenmore/LFP	7.9	4.4	13.4	3
Kent	10.7	7.8	14.4	10
Kent-East	11.9	6.6	20	3
Kent-SE	7.9	4.6	12.9	4
Kent-West	15.3	8.0	27.2	3
Kirkland	5.3	3.1	8.5	4
Kirkland	4.8 §	2.4 §	9.1 §	2
Kirkland North	6.6 §	2.8 §	13.3 §	2
Mercer Isle/Pt Cities	6.2	3.6	12.5	3
Newcastle/Four Creeks	8.6 §	3.8 §	17.0 §	2
				2
North Highline	12.1 §	5.5 §	24.0 §	
Redmond	6.3	9.2	10.5	4
Renton	12.1		15.5	13
Renton-East	9.2 §	4.1 §	17.9 §	
Renton-North	12.4	7.4	19.9	4
Renton-South	13.0	9.0	18.3	7
Sammamish	6.9 §	2.2 §	16.0 §	1
SeaTac/Tukwila	10.3	6.0	16.7	4
SeattleBallard	9.1	8.1	10.3	61
Beacon/Gtown/S.Park	12.1	3.5 7.8	11.0 18.1	3 5
			_	
Capitol Hill/E.lake	5.5 \$	2.4 \$	11.7 \$	2
Central Seattle	11.2	7.1	17.2	5
Delridge	9.1 §	4.5 §	17.2 §	2
DowntownFremont/Greenlake	9.9	6.4	23.2	5
	7.6	4.4	13.4	4
NE SeattleNorth Seattle	7.1 9.0	4.3 5.8	11.2 13.9	6
North Seattle	7.6	4.9	13.9	6
QA/Magnolia	9.5	6.3	14.5	6
SE Seattle	14.6	10	20.8	7
West Seattle	8.9	6.0	13.5	7
Shoreline	13.1	9.7	17.8	10
Snoqualmie/North Bend/Skykomish	3.6 §	1.0 §	9.9 §	1
Vashon Island	9.4 §	3.8 §	26.5 §	1
Comparisons:	9.4 3	3.0 3	Z0.0 s	<u>'</u>

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates.

Influenza and pneumonia deaths by health reporting areas King County, 2008-2012 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Influenza and pneumonia deaths King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

